# **RESEARCH ARTICLE**

# Skin ultrasound in systemic sclerosis patients: An update

#### Authors

Ruaro B<sup>1</sup>, De Tanti A<sup>1</sup>, Iagnocco A<sup>2</sup> 1 Cardinal Ferrari Center, S. Stefano Rehabilitation, Fontanellato (Parma), Italy. 2 Dipartimento Scienze Cliniche e Biologiche – Università degli Studi di Torino, Turin, Italy.

Barbara Ruaro, MD, PhD, Rheumatologist Antonio De Tanti, MD, Physiatrist Annamaria Iagnocco, MD, Professor of Rheumatology

#### **Corresponding author:**

Barbara Ruaro, MD, PhD Cardinal Ferrari Center, S. Stefano Rehabilitation, Fontanellato (Parma), Italy Phone: +39 347050 2394 Email: <u>barbara.ruaro@yahoo.it</u>

### Abstract

Systemic sclerosis (SSc) is an autoimmune disorder of unknown etiology, characterized by vasculopathy and fibrosis of the skin and internal organs. Skin tightening is a clinical hallmark for the diagnosis of SSc and is used to classify subtypes of the disease. Skin involvement could also indicate disease course and mortality. There has been an increase in the use of skin high frequency ultrasound for the evaluation of dermal thickness and skin impairment in systemic sclerosis. Recently, ultrasound elastography has been used to evaluate the elastic properties of tissues in SSc patients. Furthermore, power Doppler ultrasound has been used to study the vascular impairment in SSc patients.

Herein we discuss the recent data from research and clinical practice on methods for the sonographic and ultrasound elastography evaluation of dermal thickness in systemic sclerosis. We also give brief overview of the evaluation of vascular damage by power Doppler ultrasound. The role of these techniques is still under debate and their use has not yet been fully validated.

### Keywords

Skin high frequency ultrasonography, ultrasound elastography, power Doppler ultrasound, systemic sclerosis, dermal thickness, skin fibrosis



### Introduction

Systemic sclerosis (SSc) is an autoimmune connective tissue disease, characterized by early microvascular damage and progressive fibrosis of internal organs and skin (1,2). Skin involvement in SSc is not only a hallmark for disease classification and activity but also has an inverse correlation with survival (3-5).

To date, the modified Rodnan skin score (mRSS) is the validated method to assess skin involvement. However, it has several limitations, including the fact that it cannot detect small but clinically relevant changes in skin thickness over time and has a high intraand inter-observer variability (6-8). On the other hand. several studies have demonstrated that skin high-frequency ultrasound is a valid and reproducible technique to measure dermal thickness (DT) in scleroderma patients (9-17), thus progress in this area is expected with increasing developments in equipment technologies.

### Skin high-frequency ultrasound.

The first paper on skin high-frequency ultrasound was published by Alexander and Miller in 1979, where they reported their results using a 15 MHz transducer (18). This followed by the availability of was ultrasound machines equipped with higher frequency probes (i.e. 18-30 MHz), which allowed for a more widespread use of ultrasound for the study of skin thickness. In fact, these machines provide a better visualization of superficial skin structures, epidermis, dermis including and subcutaneous fat tissue, thus making it possible to make quantitative (i.e. thickness measurements) as well as qualitative (echostructure evaluation) assessments of the skin (4,9-15) in SSc patients. Several studies have compared the results obtained by ultrasound measurements to those of mRSS, the current gold standard for the study of skin impairment in SSc patients, reporting interesting correlations (11-15).

The mRSS and ultrasound have different advantages and limitations, i.e. the mRSS is influenced by skin thickness, texture and fixation, whilst high frequency sonography provides a more accurate DT assessment (6-Moreover, high 8,10-14). frequency sonography also has the advantage of allowing for the identification of the different skin layers and offers a continuous range of DT values, differently from the semi-quantitative mRSS scale which has only 4 integer values (6-8,10-14). Despite ultrasound being a user-friendly and rapid-toperform technique, it does have some drawbacks. Principally it is dependent on the operator's skills, including the application of the most appropriate scanning technique and the accurate interpretation of findings in this specific area (11-15).

However, sonography has various additional advantages. First of all, the images can be saved for further evaluation at a later stage. It also has an enhanced sensitivity in the detection of skin involvement in disease stages, as well as at follow-up, offering a valuable contribution to the clinical assessment of this disorder (10.13.14.19.20). Several studies have also demonstrated that skin high frequency ultrasound (18-30 MHz) can identify the oedematous phase that precedes palpable skin involvement in the early stage of SSc, supporting an early diagnosis of the disease (10,13,19). It has also been shown that high frequency ultrasound can identify subclinical diffuse dermal involvement in limited cutaneous systemic sclerosis (lcSSc) patients. In fact, higher DT was reported in 4/6 skin areas (arm, chest and abdomen) in lcSSc with normal mRSS (mRSS=0) than in healthy subjects (13). This is in contrast with the diagnosis of lcSSc, where skin involvement is confined to the extremities: hands, forearms, feet, legs and face (13).

A total of 50 lcSSc patients were enrolled into this study and 50 sex- and age-matched

healthy subjects. DT was evaluated by both mRSS and sonography at the usual 17 skin areas (zygoma, fingers, dorsum of the hands, forearms, upper arms, chest, abdomen, thighs, lower legs and feet) (13). The authors used an 18 MHz transducer and reported that it was more difficult to identify the different skin layers at the level of the thigh and upper arm than in the other areas (13). The same group of authors studied 48 lcSSc patients and 48 healthy subjects, matched for sex and age, and demonstrated that the DT evaluations performed with a 22 MHz probe were significantly higher than those obtained with an 18 MHz transducer in all the 17 areas analysed, both in lcSSc patients and healthy subjects (p-value <0.0001) (14). Moreover, the 22 MHz transducer detected a statistically significantly higher median DT (p-value <0.01) in all clinically unaffected skin areas for lcSSc patients, compared to controls. Whilst the 18 MHz transducer confirmed this finding in only 4 /6 body areas where the mRSS was normal (mRSS =0), in line with the diagnosis of lcSSc (arms, chest, and abdomen). A statistically significant positive correlation (p-value <0.0001) was observed between the results obtained with the two transducers in the DT evaluation and between each probe and the mRSS. Furthermore, the DT in lcSSc patients worsened as did the microangiopathy pattern (Early, Active and Late) (p-value<0.02). This study then suggested that a 22 MHz sonography probe is more sensitive in detecting subclinical DT changes than an 18 MHz probe. Furthermore, confirmed that subclinical dermal it involvement is detectable by skin high frequency sonography also in the clinically unaffected skin areas of lcSSc patients.

In a recent prospective and cross-sectional study, Li et al confirmed that skin high frequency ultrasound was able to evaluate subclinical dermal involvement in 31 SSc patients and 31 age-matched and sexmatched healthy controls, using an 18-MHz ultrasonic probe. Five different skin sites were studied: the dorsal of the right forearm 3 cm proximal to the wrist, the area between the II and III metacarpophalangeal joints of the right hand, the dorsal of the proximal phalanx of the right second finger, the skin of the right leg- 12 cm proximal to the ankle joint and the sternum- 2 cm distal to the upper part of the manubrium. The authors also demonstrated a positive correlation between skin damage and disease activity (19).

Moreover, a recent study by Naredo et al confirmed that high frequency sonography with a 50 MHz probe allows for a better resolution and visualization of the derma. providing a more accurate DT determination and a correct assessment of the different skin layers with a notable difference in dermis and hypodermis texture features between SSc and healthy subjects (20). In fact, three experts evaluated the DT at the level of forearm, hand and fingers in 21 SSc and in 6 healthy controls and concluded that DT was significantly higher in SSc patients than in the control group (p-value<0.05). Moreover, a texture computed analysis of the dermis and hypodermis was able to discriminate SSc from healthy subjects (area under the curve >0.07). The aforementioned observations are also in agreement with microarray gene expression studies, suggesting that clinically unaffected skin shares the peculiar gene signatures and pathology of clinically affected skin in SSc (21,22).

Another recent study on 8 lcSSc patients and 5 healthy subjects reported a positive correlation between the percentage of circulating fibrocytes, mRSS (p-value = 0.04) and DT-sonography, evaluated by both 22 MHz and 18 MHz probes (p < 0.05) in lcSSc patients (23). This is an important observation, in as much as the migration of fibrocytes into inflammatory lesions and/or damaged tissues and their differentiation into myofibroblasts contributed to fibrosis through the secretion of essential ECM

proteins, primarily type I collagen and Furthermore, fibronectin. the results confirm that the percentage of circulating fibrocytes was higher in the lcSSc patients than in the healthy subjects (23). Moreover, the observation of higher aSMA, COL-1 and TGF<sup>β1</sup> gene expression in cultured lcSSc than in CNT fibrocytes (p < 0.01) suggests that they have a propensity for profibrotic transition into activated myofibroblasts, the key cells involved in both tissue repair and fibrosis (23).

Other authors also reported correlations between skin sonography, mRSS and plicometer skin test when assessing skin damage in SSc patients (p-value < 0.0001) (12). This study also confirmed a correlation between the severity of nailfold microangiopathy and the skin damage when evaluated by the three different methods used for the assessment of the cutaneous involvement (p-value < 0.01) (12). Their findings confirm previous literature data that patients with lcSSc are likely to have less morphological and functional microvascular involvement than those with diffuse SSc (12, 24-28).

## Ultrasound elastography.

elastography Ultrasound (UE) is an innovative technique able to analyze the elastic properties of tissues in SSc patients. The first UE investigation was carried out in 2010, after other studies had demonstrated that it can enhance the assessment of fibrotic skin by ultrasound (16,29-33). A few recent studies have demonstrated the utility of UE in the investigation of skin impairment in SSc, with varying results on the correlations with sonography evaluation, which may well be due to the use of different equipment and software (4.16.29-32).

UE allows for the evaluation of tissue elasticity, which is decreased in SSc due to skin fibrosis and provides a colour scale that can be superimposed on the sonography grey scale image. However, UE has similar drawbacks to ultrasound, requiring specific training and skills in the field (4,16,29-34).

The utility of UE in the assessment of skin in systemic sclerosis patients was first demonstrated by Iagnocco et al, in 2010 (29). The investigators enrolled 18 SSc patients and 15 healthy controls and reported that the imaging pattern observed at the level of forearm in SSc patients may represent a reduction of strain in the dermis due to loss of elasticity (29). Di Geso et al. observed that when UE was added to ultrasound in DT evaluation, there was an increase in the intra and inter-observer agreement of the technique (intra-observer sonography reliability ICC UE 0.979 vs ultrasound 0.904; inter-observer reliability ICC UE 0.881 vs ultrasound 0.726) (35).

A recent study by Grembiale et al used UE to evaluate skin stiffness in 20 SSc patients and demonstrated a strong relationship with microvascular alterations. It evidenced that diffuse SSc subjects had higher skin stiffness scores than both lcSSc and healthy subjects. Furthermore, the authors demonstrated an association between the late nailfold capillaroscopic pattern of microangiopathy and skin stiffness (p-value = 0.027) (36).

Recently, Santiago and colleagues carried out a 5-year follow-up where they assessed changes in skin stiffness in SSc patients using UE. The authors included 21 patients and 15 healthy controls. They observed a significant decrease in skin stiffness at all Rodnan sites (p-value < 0.001), except at the finger level, in SSc patients and in controls over time. Furthermore, the investigators demonstrated that skin stiffness decreased significantly in 15/16 skin sites with local normal Rodnan at baseline, whereas the local Rodnan skin score changed significantly only in two areas, the upper arm (p-value=0.046)and the forearm (p-value = 0.026). In conclusion, this study evidences that UE is

more sensitive to change over time than mRSS (38).

### Power Doppler ultrasound.

Recently, power Doppler ultrasound has also been used to assess the vascular impairment in SSc patients (39-40). These studies aimed at a comparison between microvascular damages on nailfold video-capillaroscopy (NVC) and macrovascular manifestations in SSc (39-40).

Schioppo et al. evaluated 106 SSc patients by NVC and power Doppler ultrasound, using a 22 MHz probe (39). They studied all the patients with the two techniques at the level of 3rd and 4th finger of the dominant hand, after exclusion of ulnar artery occlusion and observed that power Doppler ultrasound and NVC can provide different, but important, information as to macro- and micro-vascular involvement in SSc patients. Furthermore, these two aspects of vascular damage may not be present at the same time in every patient (39).

Recently, Lescoat et al studied 64 SSc patients and demonstrated that microvascular evaluated damage bv NVC and macrovascular features, specifically ulnar artery occlusion assessed by power Doppler ultrasonography, showed a high association with the important most digital manifestations of SSc (digital ulcers, acroosteolysis, and calcinosis, (p-value <0.05). Noteworthy is the fact that ulnar artery occlusion and pathologic finger pulp blood flow, assessed by ultrasound, were associated with severe capillary loss evaluated by NVC (p < 0.05) (40).

## Conclusion.

In conclusion, recent literature has confirmed that the use of higher frequency probes (>22

MHz) is advisable for DT assessment as they are able to provide higher accuracy and sensitivity in the detection of subclinical skin involvement (10,13,14,19.20,41). Moreover, as recently reported, ultrasound elastography may also enhance the evaluation of fibrotic skin. Lastly, power Doppler ultrasound, equipped with a high frequency probes, can be useful for the evaluation of vascular damage in SSc (39,40).

Briefly, sonography is a promising technique that has a potential role in the evaluation of various tissues, even if further studies are warranted to establish its validity in such a complex disease as SSc.

### Authors' contributions:

BR and AI contributed to the conception of the review and drafting of the manuscript. BR, AI, ADT contributed to revising the manuscript critically for important intellectual content. All authors read and approved the final manuscript.

### **Funding:**

No funding was received from any bodies in the public, commercial or not-for-profit sectors to carry out the work described in this manuscript

### **Disclosure statement:**

None.

### Acknowledgements:

The authors thank Barbara Wade, contract Professor at the University of Torino, for her linguistic advice.

Barbara Ruaro was supported by a Grant from the European Society of Rheumatology, awarded in 2019.

### **References.**

- 1. Denton CP, Khanna D. Systemic sclerosis. Lancet 2017 Apr 13; 390(10103): 1685-1699.
- Varga J, Trojanowska M and Kuwana M. Pathogenesis of systemic sclerosis: recent insights of molecular and cellular mechanisms and therapeutic opportunities. J Scleroderma Relat Disord 2017 July 19; 2(3): 137-152.
- Ruaro B, Smith V, Sulli A, Decuman S, Pizzorni C, Cutolo M. Methods for the morphological and functional evaluation of microvascular damage in systemic sclerosis. Korean J Intern Med 2015 Jan 1; 30(1): 1-5.
- Santiago T, Santiago M, Ruaro B, Salvador MJ, Cutolo M, da Silva JAP. Ultrasonography for the assessment of skin in systemic sclerosis: a systematic review. Arthritis Care Res (Hoboken) 2019 Apr 4; 71(4): 563-574.
- 5. Steen VD, Medsger TA Jr. Improvement in skin thickening in systemic sclerosis associated with improved survival. Arthritis Rheum 2001 Dec 10; 44(12): 2828-2835.
- Czirjak L, Nagy Z, Aringer M, Riemekasten G, Matucci-Cerinic M, Furst DE. The EUSTAR model for teaching and implementing the modified Rodnan skin score in systemic sclerosis. Ann Rheum Dis 2007 Jul 18; 66(7): 966-969.
- Amjadi S, Maranian P, Furst DE, Clements PJ, Wong WK, Postlethwaite AE,et al. Course of Modified Rodnan Skin Score in Systemic Sclerosis Clinical Trials: Analysis of 3 Large Multicenter, Randomized Clinical Trials. Arthritis Rheum 2009 Aug 1; 60(8): 2490–2498.
- 8. Kaldas M, Khanna PP, Furst DE, Clements PJ, Kee Wong W, Seibold JR, et al. Sensitivity to change of the modified Rodnan skin score in diffuse systemic sclerosis-assessment of

individual body sites in two large randomized controlled trials. Rheumatology 2009 Sep 14; 48(9): 1143-1146.

- 9. A Akesson, R Hesselstrand, A Scheja, M Wildt. Longitudinal development of skin involvement and reliability of high frequency ultrasound in systemic sclerosis. Ann Rheum Dis. 2004 Jul14; 63(7): 791–796.
- Kaloudi O, Bandinelli F, Filippucci E, Conforti ML, Miniati I, Guiducci S, et al. High frequency ultrasound measurement of digital dermal thickness in systemic sclerosis. Ann Rheum Dis 2010 Jun 10; 69(6): 1140-1143.
- 11. Moore TL, Lunt M, McManus B, Anderson ME, Herrick AL. Seventeenpoint dermal ultrasound scoring system-a reliable measure of skin thickness in patients with systemic sclerosis. Rheumatology 2003 Dec 1; 42(12): 1559-1563.
- 12. Ruaro B, Pizzorni C, Paolino S, Smith V, Ghio M, Casabella A, et al. Correlations between nailfold microvascular damage and skin involvement in systemic sclerosis patients. Microvasc Res 2019 Sep 25; 125(1): 103874.
- 13. Sulli A, Ruaro B, Smith V, Paolino S, Pizzorni C, Pesce G, et al. Subclinical dermal involvement is detectable by high frequency ultrasound even in patients with limited cutaneous systemic sclerosis. Arthritis Res Ther 2017 Mar 20; 19(1): 61.
- 14. Ruaro B, Sulli A, Smith V, Santiago T, da Silva JAP, Pizzorni C, et al. The impact of transducer frequency in ultrasound evaluation of subclinical skin involvement in limited cutaneous systemic sclerosis patients. Clin Exp Rheumatol 2019 Aug 25; 37 Suppl 119(4): 147-148.

- 15. Sulli A, Ruaro B, Alessandri E, Pizzorni C, Ferrari G, Cutolo M. Correlations between nail fold microangiopathy severity, finger dermal thickness and fingertip blood perfusion in systemic sclerosis patients. Ann Rheum Dis 2014 Jan 7; 73(1); 247-251.
- 16. Delle Sedie A, Riente L. Ultrasound in connective tissue diseases. Clin Exp Rheumatol 2014 Feb 3; 32(1 Suppl 80): 53-60.
- 17. Sousa-Neves J, Cerqueira M, Santos-Faria D, Afonso C, Teixeira F. Ultrasound assessment of skin thickness performed on fingers: a tool for estimating overall severity of skin disease in Systemic Sclerosis patients? Acta Reumatol Port 2017 Dec 15; 42(4): 339-340.
- Alexander H, Miller DL. Determining skin thickness with pulsed ultrasound. J Investig Dermatol 1979 Jan 6; 72(1): 17-19.
- 19. Li H, Furst DE, Jin H, Sun C, Wang X, Yang L, et al. High-frequency ultrasound of the skin in systemic sclerosis: an exploratory study to examine correlation with disease activity and to define the minimally detectable difference. Arthritis Res Ther 2018 Aug 16; 20(1): 181.
- 20. Naredo E, Pascau J, Damjanov N, Lepri G, Gordaliza PM, Janta I, et al. Performance of ultra-high-frequency ultrasound in the evaluation of skin involvement in systemic sclerosis: a preliminary report. Rheumatology (Oxford) 2019 Oct 30; kez439. doi: 10.1093/rheumatology/kez439.
- 21. Pendergrass SA, Lemaire R, Francis IP, Mahoney JM, Lafyatis R, Whitfield ML. Intrinsic gene expression subsets of diffuse cutaneous systemic sclerosis are stable in serial skin biopsies. J Invest Dermatol 2012 May 11; 132(5): 1363-1373.

- 22. Frost J, Ramsay M, Mia R, Moosa L, Musenge E, Tikly M. Differential gene expression of MMP-1, TIMP-1 and HGF in clinically involved and uninvolved skin in South Africans with SSc. Rheumatology 2012 Jun 9; 51(6): 1049-1052.
- 23. Ruaro B, Soldano S, Smith V, Paolino S, Contini P, Montagna P, et al. Correlation between circulating fibrocytes and dermal thickness in limited cutaneous systemic sclerosis patients: a pilot study. Rheumatol Int 2019 Aug 6; 39(8): 1369-1376.
- 24. Avouac J, Lepri G, Smith V, Toniolo E, Hurabielle C, Vallet A, et al. Sequential nailfold videocapillaroscopy examinations have responsiveness to detect organ progression in systemic sclerosis. Semin. Arthritis Rheum 2017 Aug 5; 47(1): 86-94.
- 25. Denton CP. Advances in pathogenesis and treatment of systemic sclerosis. Clin. Med. (Lond.) 2016 Feb 6;16(1):55-60.
- 26. Furue M, Mitoma C, Mitoma H, Tsuji G, Chiba T, Nakahara T, et al. Pathogenesis of systemic sclerosiscurrent concept and emerging treatments. Immunol Res. 2017 Aug;65(4):790-797.
- 27. Hanitsch LG, Burmester GR, Witt C, Hunzelmann N, Genth E, Krieg T, et al, Skin sclerosis is only of limited value to identify patients with SSc with severe manifestations-an analysis of a distinct patient subgroup of the German Systemic Sclerosis Network (DNSS) Register. Rheumatology 2009 Jan 10; 48(1): 70-73.
- 28. Ruaro B, Sulli A, Pizzorni C, Paolino S, Smith V, Alessandri E, et al. Correlations between blood perfusion and dermal thickness in different skin areas of systemic sclerosis patients. Microvasc Res 2018 Jan 13; 115 (1): 28-33.
- 29. Iagnocco A, Kaloudi O, Perella C, Bandinelli F, Riccieri V, Vasile M, et al. Ultrasound elastography assessment of

skin involvement in systemic sclerosis: lights and shadows. J Rheumatol. 2010 Aug 1; 37(8): 1688-1691.

- 30. Yang Y, Yan F, Wang L, Xiang X, Tang Y, Li Q, Xiaoyan L. Quantification of skin stiffness in patients with systemic sclerosis using real-time shear wave elastography: a preliminary study. Clin Exp Rheumatol 2018 Aug 1; 36 Suppl 113(4): 118-125.
- 31. Yang Y, Qiu L, Wang L, Xiang X, Tang Y, Li H, Yan F. Quantitative Assessment of Skin Stiffness Using Ultrasound Shear Wave Elastography in Systemic Sclerosis. Ultrasound Med Biol 2019 Apr 1; 45(4): 902-912.
- 32. Cutolo M, Damjanov N, Ruaro B, Zekovic A, Smith V. Imaging of connective tissue diseases: Beyond visceral organ imaging? Best Pract Res Clin Rheumatol 2016 Aug; 30(4): 670-687.
- 33. Ruaro B, Sakellariou G, Cutolo M, Iagnocco A. Well-trained sonographers are worth their weight in gold: ultrasound in systemic sclerosis. Rheumatology (Oxford) 2018 Nov 1; 57(11): 1883-1884.
- 34. Santiago T, Ruaro B, Cutolo M, Santiago M, Salvador MJ, da Silva JAP. Has the role of skin ultrasound for Systemic sclerosis been defined? Arthritis Care Res (Hoboken) 2019 May 16; 71(5): 695-696.
- 35. Di Geso L, Filippucci E, Girolimetti R, Tardella M, Gutierrez M, De Angelis R, et al. Reliability of ultrasound measurements of dermal thickness at digits in systemic sclerosis: role of

elastosonography. Clin Exp Rheumatol 2011 Dec 22; 29(6): 926-932.

- Grembiale RD, Bruno C, Tripolino C, Ursini F, Calabria M, Naty S, Gutierrez
- 37. M, MazzucaS.Correlation between elast osonography and nailfold microvascular alterations in systemicsclerosis patients. Clin Hemorheol Microcirc 2016 Feb 16; 62(1): 71-78.
- 38. Santiago T, Santiago M, Coutinho M, Salvador MJ, Da Silva JAP. How much of skin improvement over time in systemic sclerosis is due to normal ageing? A prospective study with shearwave elastography. Arthritis Res Ther 2020 Mar 18; 22(1): 50.
- 39. Schioppo T, Orenti A, Boracchi P, De Lucia O, Murgo A, Ingegnoli F. Evidence of macro- and micro-angiopathy in scleroderma: An integrated approach combining 22-MHz power Doppler ultrasonography and videocapillaroscopy. Microvasc Res 2019 Mar 16;122 (2): 125-130.
- 40. Lescoat A, Coiffier G, de Carlan M, et al. Combination of capillaroscopic and ultrasonographic evaluations in systemic sclerosis: results of a cross-sectional study. Arthritis Care Res 2018 Jun 12; 70(6): 938-943.
- Hesselstrand R, Carlestam J, Wildt M, Sandqvist G, Andréasson K. High frequency ultrasound of skin involvement in systemic sclerosis - a follow-up study. Arthritis Res Ther 2015 Nov 19; 17(5): 329.